

		<b>GarGraves Trackage Order Pricing</b>		<b>Pre - Effective March 18, 2019</b>	
		<b>Case Quantity Required</b>			
<b>Pkg.</b>	<b>Item</b>	<b>Product</b>	<b>GarGraves Product Description</b>	<b>Unit</b>	<b>Price</b>
<b>Qty.</b>	<b>Notes</b>	<b>No.</b>			
<b>Special Track Products</b>					
1		101-Gantry	37" O-Gauge Phantom Tinplate for use with Lionel Gantry Crane	each	21.95
1		102-Gantry	37" O-Gauge Phantom Stainless for use with Lionel Gantry Crane	each	23.72
1		201-Gantry	37" O-Gauge Regular Tinplate for use with Lionel Gantry Crane	each	21.95
1		202-Gantry	37" O-Gauge Regular Stainless for use with Lionel Gantry Crane	each	23.72
1		300-BK	Track Bumper - Black - O Gauge	each	11.51
1		300-RD	Track Bumper - Red - O Gauge	each	11.51
1		300-SY	Track Bumper -Safety Yellow O- Gauge	each	11.51
1		310-1	Single Lane Grade Crossing Kit - Undecorated - O Gauge	each	10.74
1		310-2	Two Lane Grade Crossing Kit - Undecorated - O Gauge	each	12.28
1		410-1	Single Lane Grade Crossing Kit - Brown - O Gauge	each	12.28
1		410-2	Two Lane Grade Crossing Kit - Brown - O Gauge	each	13.82
1		401-Gantry	37" S-Gauge Tinplate for use with Lionel Gantry Crane	each	21.95
1		402-Gantry	37" S-Gauge Stainless for use with Lionel Gantry Crane	each	23.72
1		101-Trestle	37" 5-rail Trestle Track "Phantom" w/Tinplate rails - 3 inch ties	each	9.74
1		102-Trestle	37" 5-rail Trestle Track "Phantom" w/Stainless rails - 3 inch ties	each	11.09
12		501-201	37" Standard & O-Gauge 5-rail w/Tinplated Rails	each	9.47
<b>Inquire for other Multi gauges available or desired</b>					
<b>Layout Planning Aids</b>					
1		RRT-5.1A	RRTrack Layout Software	each	60.83
<b>O-Gauge Flexible "Phantom" Line with WOOD Ties With Black "Phantom" Center Rail **</b>					
50		101-50	Phantom" with Tinplated steel outside rails	each	8.43
		101-25	Phantom" with Tinplated steel outside rails	each	9.25
50		102	Phantom" with Stainless steel outside rails	each	9.43
<b>O-Gauge "Phantom" Line Track with WOOD Ties</b>					
<b>Sectional Curved Sections - 8 per Circle</b>					
8		WT-32-101	32" "Phantom" w/Tinplated Outside Rails	each	7.85
8		WT-32-102	32" "Phantom" w/Stainless Outside Rails	each	56.98
8		WT-42-101	42" "Phantom" w/Tinplated Outside Rails	each	8.66
8		WT-42-102	42" "Phantom" w/Stainless Outside Rails	each	9.24
8		WT-54-101	54" "Phantom" w/Tinplated Outside Rails	each	9.51
8		WT-54-102	54" "Phantom" w/Stainless Outside Rails	each	10.09
<b>63" thru 106" 12 sections per circle</b>					
12		WT-63-101	63" "Phantom" w/Tinplated Outside Rails	each	8.12
12		WT-63-102	63" "Phantom" w/Stainless Outside Rails	each	8.70
12		WT-72-101	72" "Phantom" w/Tinplated Outside Rails	each	8.66
12		WT-72-102	72" "Phantom"w/Stainless Outside Rails	each	9.24
12		WT-80-101	80" "Phantom" w/Tinplated Outside Rails	each	9.51
12		WT-80-102	80" "Phantom" w/Stainless Outside Rails	each	10.09
12		WT-89-101	89" "Phantom" w/Tinplated Outside Rails	each	10.24
12		WT-89-102	89" "Phantom" w/Stainless Outside Rails	each	10.82
12		WT-96-101	96" "Phantom" w/Tinplated Outside Rails	each	10.55
12		WT-96-102	96" "Phantom" w/Stainless Outside Rails	each	11.13
12		WT-106-101	106" "Phantom" w/Tinplated Outside Rails	each	10.74
12		WT-106-102	106" "Phantom" w/Stainless outside Rails	each	11.32
<b>113" thru 138" 16 sections per circle</b>					
16		WT-113-101	113" "Phantom" w/Tinplated Outside Rails	each	8.97
16		WT-113-102	113" "Phantom" w/Stainless outside Rails	each	9.55

16		WT-120-101	120" "Phantom" w/Tinplated Outside Rails	each	9.28
16		WT-120-102	120" "Phantom" w/Stainless outside Rails	each	9.86
16		WT-128-101	128" "Phantom" w/Tinplated Outside Rails	each	10.55
16		WT-128-102	128" "Phantom" w/Stainless outside Rails	each	11.13
16		WT-138-101	138" "Phantom" w/Tinplated Outside Rails	each	10.74
16		WT-138-102	138" "Phantom" w/Stainless Outside Rails	each	11.32
			<b>O-Gauge "Phantom" Line Straight Sections Rigid</b>		
12		WT-101-37	37" "Phantom" w/Tinplated Outside Rails	each	10.55
12		WT-102-37	37" "Phantom" w/Stainless Outside Rails	each	11.13
12		WT-101-24	24.8" "Phantom" w/Tinplated Outside Rails	each	7.93
12		WT-102-24	24.8" "Phantom" w/Stainless Outside Rails	each	8.39
12		WT-101-12	12.4" "Phantom" w/Tinplated Outside Rails	each	5.74
12		WT-102-12	12.4" "Phantom" w/Stainless Outside Rails	each	6.04
12		WT-101-6	6.2" "Phantom" w/Tinplated Outside Rails	each	4.54
12		WT-102-6	6.2" "Phantom" w/Stainless Outside Rails	each	4.77
			<b>O-Gauge "Phantom" Line Switches with DZ-2500 Switch Machine</b>		
1		1103	RH 100" Radius Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	67.72
1		1104	LH 100" Radius Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	67.72
1		1105	RH 100" Radius Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	70.03
1		1106	LH 100" Radius Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	70.03
1		1113	RH O-42 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	67.72
1		1114	LH O-42 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	67.72
1		1115	RH O-42 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	70.03
1		1116	LH O-42 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	70.03
1		1133	RH O-54 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	67.72
1		1134	LH O-54 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	67.72
1		1135	RH O-54 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	70.03
1		1136	LH O-54 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	70.03
1		1141	O-72 WYE Switch w/Tinplated outside rails & DZ-2500 Switch Machine	each	67.72
1		1142	O-72 WYE Switch w/Stainless outside rails & DZ-2500 Switch Machine	each	70.03
1		1143	RH O-72 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	67.72
1		1144	LH O-72 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	67.72
1		1145	RH O-72 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	70.03
1		1146	LH O-72 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	70.03
			<b>O-Gauge "Phantom" Line Manual Switches, Remote Switches w/DZ-1000 - Switch Machine &lt;-&gt;Operating Tracks &amp; Terminal Tracks</b>		
1		103	RH 100" Radius "Phantom" Manual switch w/Tinplated outside rails	each	38.46
1		104	LH 100" Radius "Phantom" Manual switch w/Tinplated outside rails	each	38.46
1		105	RH 100" Radius "Phantom" Manual switch w/Stainless outside rails	each	40.77
1		106	LH 100" Radius "Phantom" Manual switch w/Stainless outside rails	each	40.77
1		103-RC	RH 100" Radius "Phantom" Remote Control switch w/Tinplated outside rails	each	63.10
1		104-RC	LH 100" Radius "Phantom" Remote Control switch w/Tinplated outside rails	each	63.10
1		105-RC	RH 100" Radius "Phantom" Remote Control switch w/Stainless outside rails	each	65.41
		106-RC	LH 100" Radius "Phantom" Remote Control switch w/Stainless outside rails	each	65.41
1		107	Remote Control Magnetic Uncoupling Section "Phantom" Tinplate	each	42.31
1		117	Compact Version, Remote Control Magnetic Uncoupling Section Tinplate	each	40.00
1		108	Remote Control Magnetic UC/UL for operating cars "Phantom" Tinplate	each	55.40
1		108-EM	Remote Control Magnetic UC/UL Same as 108 but w/magnet on end	each	55.40
1		109	Remote Control Magnetic Uncoupling Section "Phantom" Stainless	each	43.85
1		217	Compact Version, Remote Control Magnetic Uncoupling Section Stainless	each	41.54
1		110	Remote Control Magnetic UC/UL for operating cars Phantom Stainless	each	56.94
1		110-EM	Remote Control Magnetic UC/UL Same as 110 but w/magnet on end	each	56.94
1		111	Terminal/Accessory Control Section "Phantom" Tinplate	each	13.48
1		112	Terminal/Accessory Control Section "Phantom" Stainless	each	14.25
1		113	RH O-42 "Phantom" Manual switch w/Tinplated outside rails	each	38.46
1		114	LH O-42 "Phantom" Manual switch w/Tinplated outside rails	each	38.46
1		115	RH O-42 "Phantom" Manual switch w/Stainless outside rails	each	40.77

1		116	LH O-42 "Phantom" Manual switch w/Stainless outside rails	each	40.77
1		113-RC	RH O-42 "Phantom" Remote Control switch w/Tinplated outside rails	each	63.10
1		114-RC	LH O-42 "Phantom" Remote Remote switch w/Tinplated outside rails	each	63.10
1		115-RC	RH O-42 "Phantom" Remote Control switch w/Stainless outside rails	each	65.41
1		116-RC	LH O-42 "Phantom" Remote Control switch w/Stainless outside rails	each	65.41
1		118	Remote Operating Car Track & Terminal Section Phantom Tinplate	each	36.15
1		119	Remote Operating Car Track & Terminal Section Phantom Stainless	each	37.69
1		121	90 Degree Crossing "Phantom" w/Tinplated outside Rails	each	23.06
1		122	90 Degree Crossing "Phantom" w/Stainless outside Rails	each	24.60
1		133	R.H. O-54 "Phantom" Manual switch w/Tinplated outside rails	each	38.46
1		134	L.H. O-54 "Phantom" Manual switch w/Tinplated outside rails	each	38.46
1		135	R.H. O-54 "Phantom" Manual switch w/Stainless outside rails	each	40.77
1		136	L.H. O-54 "Phantom" Manual switch w/Stainless outside rails	each	40.77
1		133-RC	R.H. O-54 "Phantom" Remote Control switch w/Tinplated outside rails	each	63.10
1		134-RC	L.H. O-54 "Phantom" Remote Control switch w/Tinplated outside rails	each	63.10
1		135-RC	R.H. O-54 "Phantom" Remote Control switch w/Stainless outside rails	each	65.41
1		136-RC	L.H. O-54 "Phantom" Remote Control switch w/Stainless outside rails	each	65.41
1		141	O-72 WYE "Phantom" Manual switch w/Tinplated outside rails	each	38.46
1		142	O-72 WYE "Phantom" Manual switch w/Stainless outside rails	each	40.77
1		141-RC	O-72 WYE "Phantom" Remote Control switch w/Tinplated outside rails	each	63.10
1		142-RC	O-72 WYE "Phantom" Remote Control switch w/Stainless outside rails	each	63.10
1		143	R.H. O-72 "Phantom" Manual switch w/Tinplated outside rails	each	38.46
1		144	L.H. O-72 "Phantom" Manual switch w/Tinplated outside rails	each	38.46
1		145	R.H. O-72 "Phantom" Manual switch w/Stainless outside rails	each	40.77
1		146	L.H. O-72 "Phantom" Manual switch w/Stainless outside rails	each	40.77
1		143-RC	R.H. O-72 "Phantom" Remote Control switch w/Tinplated outside rails	each	63.10
1		144-RC	L.H. O-72 "Phantom" Remote Control switch w/Tinplated outside rails	each	63.10
1		145-RC	R.H. O-72 "Phantom" Remote Control switch w/Stainless outside rails	each	65.41
1		146-RC	L.H. O-72 "Phantom" Remote Control switch w/Stainless outside rails	each	65.41
			<b>O-Gauge Regular Line Flexible Track with Wood Ties</b>		
			<b>With all Bright Rails</b>		
50		201	Regular GarGraves 3 rail with Tinplated rails	each	8.43
50		202	Regular GarGraves 3 rail with Stainless Steel rails	each	9.43
			<b>O-Gauge Regular Line with Wood Ties</b>		
			<b>Sectional Curved Sections - 8 per Circle</b>		
8		WT-32-201	32" Regular w/Three Tinplated Rails	each	7.85
8		WT-32-202	32" Regular w/Three Stainless Rails	each	8.43
8		WT-42-201	42" Regular w/Three Tinplated Rails	each	8.66
8		WT-42-202	42" Regular w/Three Stainless Rails	each	9.24
8		WT-54-201	54" Regular w/Three Tinplated Rails	each	9.51
8		WT-54-202	54" Regular w/Three Stainless Rails	each	10.09
			<b>63" thru 106" - 12 sections per circle</b>		
12		WT-63-201	63" Regular w/Three Tinplated Rails	each	8.12
12		WT-63-202	63" Regular w/Three Stainless Rails	each	8.70
12		WT-72-201	72" Regular w/Three Tinplated Rails	each	8.66
12		WT-72-202	72" Regular w/Three Stainless Rails	each	9.24
12		WT-80-201	80" Regular w/Three Tinplated Rails	each	9.51
12		WT-80-202	80" Regular w/Three Stainless Rails	each	10.09
12		WT-89-201	89" Regular w/Three Tinplated Rails	each	10.24
12		WT-89-202	89" Regular w/Three Stainless Rails	each	10.82
12		WT-96-201	96" Regular /Three Tinplated Rails	each	10.55
12		WT-96-202	96" Regular w/Three Stainless Rails	each	11.13
12		WT-106-201	106" Regular w/Three Tinplated Rails (3)	each	10.74
12		WT-106-202	106" Regular w/Three Stainless Rails	each	11.32
			<b>113" thru 138" - 16 sections per circle</b>		
16		WT-113-201	113" Regular w/Three Tinplated Rails	each	8.97
16		WT-113-202	113" Regular w/Three Stainless Rails	each	9.55

16		WT-120-201	120" Regular w/Three Tinplated Rails	each	9.28
16		WT-120-202	120" Regular /Three Stainless Rails	each	9.86
16		WT-128-201	128" Regular w/Three Tinplated Rails	each	10.55
16		WT-128-202	128" Regular w/Three Stainless Rails	each	11.13
16		WT-138-201	138" Regular w/Three Tinplated Rails	each	10.74
16		WT-138-202	138" Regular w/Three Stainless Rails	each	11.32
			<b>O-Gauge Regular Line Straight Sections Rigid</b>		
12		WT-201-37	37" Regular Straight w/3 Tinplated	each	10.55
12		WT-202-37	37" Regular Straight w/3 Stainless Rails	each	11.13
12		WT-201-24	24.8" Regular Straight w/3 Tinplated Rails	each	7.93
12		WT-202-24	24.8" Regular Straight w/3 Stainless Rails	each	8.39
12		WT-201-12	12.4" Regular Straight w/3 Tinplated	each	5.74
12		WT-202-12	12.4" Regular Straight w/3 Stainless Rails	each	6.04
12		WT-201-6	6.2" Regular Straight w/3 Tinplated Rails	each	4.54
12		WT-202-6	6.2" Regular Straight w/3 Stainless Rails	each	4.77
			<b>O-Gauge Regular Line Switches with DZ-2500 Switch Machine</b>		
1		2203	RH 100" Radius Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	67.72
1		2204	LH 100" Radius Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	67.72
1		2205	RH 100" Radius Switch w/Stainless Rails & DZ-2500 Switch Machine	each	70.03
1		2206	LH 100" Radius Switch w/Stainless Rails & DZ-2500 Switch Machine	each	70.03
1		2213	RH O-42 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	67.72
1		2214	LH O-42 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	67.72
1		2215	RH O-42 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	70.03
1		2216	LH O-42 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	70.03
1		2233	RH O-54 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	67.72
1		2234	LH O-54 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	67.72
1		2235	RH O-54 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	70.03
1		2236	LH O-54 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	70.03
1		2241	O-72 WYE Switch w/Tinplated rails & DZ-2500 Switch Machine	each	67.72
1		2242	O-72 WYE Switch w/Stainless rails & DZ-2500 Switch Machine	each	70.03
1		2243	RH O-72 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	67.72
1		2244	LH O-72 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	67.72
1		2245	RH O-72 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	70.03
1		2246	LH O-72 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	70.03
			<b>O-Gauge Regular Line Switches w/DZ-1000 Switch Machine&lt;Operating Tracks &amp; Terminal Tracks</b>		
1		203	RH 100" Radius Regular Manual switch w/Tinplated rails	each	38.46
1		204	LH 100" Radius Regular Manual switch w/Tinplated rails	each	38.46
1		205	RH 100" Radius Regular Manual switch w/Stainless rails	each	40.77
1		206	LH 100" Radius Regular Manual switch w/Stainless rails	each	40.77
1		203-RC	RH 100" Radius Regular Remote Control switch w/Tinplated rails	each	63.10
1		204-RC	LH 100" Radius Regular Remote Control switch w/Tinplated rails	each	63.10
1		205-RC	RH 100" Radius Regular Remote Control switch w/Stainless rails	each	65.41
1		206-RC	LH 100" Radius Regular Remote Control switch w/Stainless rails	each	65.41
1		207	Remote Control Magnetic Uncoupling section Tinplated rails	each	42.31
1		208	Remote Control Magnetic UC/UL for operating cars Tinplated rails	each	55.40
1		208-EM	Remote Control Magnetic UC/UL Same as 208 but w/magnet on end	each	55.40
1		209	Remote Control Magnetic Uncoupling section Stainless rails	each	43.85
1		210	Remote Control Magnetic UC/UL for operating cars Stainless rails	each	56.94
1		210-EM	Remote Control Magnetic UC/UL Same as 210 but w/magnet on end	each	56.94
1		211	Terminal/Accessory Control Section Tinplated rails	each	13.48
1		212	Terminal/Accessory Control Section Stainless rails	each	14.25
1		213	RH O-42 Regular Manual switch w/Tinplated rails	each	38.46
1		214	LH O-42 Regular Manual switch w/Tinplated rails	each	38.46
1		215	RH O-42 Regular Manual switch w/Stainless rails	each	40.77
1		216	LH O-42 Regular Manual switch w/Stainless rails	each	40.77
1		213-RC	RH O-42 Regular Remote Control switch w/Tinplated rails	each	63.10
1		214-RC	LH O-42 Regular Remote Control switch w/Tinplated rails	each	63.10

1	215-RC	RH O-42 Regular Remote Control switch w/Stainless rails	each	65.41
1	216-RC	LH O-42 Regular Remote Control switch w/Stainless rails	each	65.41
1	218	Remote Operating Car Track & Terminal Section Regular Tinplate	each	36.15
1	219	Remote Operating Car Track & Terminal Section Regular Stainless	each	37.69
1	221	90 Degree Crossing w/Tinplated Rails	each	23.06
1	222	90 Degree Crossing w/Stainless Rails	each	24.60
1	233	R.H. O-54 Regular Manual switch w/Tinplated outside rails	each	38.46
1	234	L.H. O-54 Regular Manual switch w/Tinplated outside rails	each	38.46
1	235	R.H. O-54 Regular Manual switch w/Stainless outside rails	each	40.77
1	236	L.H. O-54 Regular Manual switch w/Stainless outside rails	each	40.77
1	233-RC	R.H. O-54 Regular Remote Control switch w/Tinplated rails	each	63.10
1	234-RC	L.H. O-54 Regular Remote Control switch w/Tinplated rails	each	63.10
1	235-RC	R.H. O-54 Regular Remote Control switch w/Stainless rails	each	65.41
1	236-RC	L.H. O-54 Regular Remote Control switch w/Stainless rails	each	65.41
1	243	R.H. O-72 Regular Manual switch w/Tinplated rails	each	38.46
1	244	L.H. O-72 Regular Manual switch w/Tinplated rails	each	38.46
1	245	R.H. O-72 Regular Manual switch w/Stainless rails	each	40.77
1	246	L.H. O-72 Regular Manual switch w/Stainless rails	each	40.77
1	241	O-72 WYE Regular Manual switch w/Tinplated outside rails	each	38.46
1	242	O-72 WYE Regular Manual switch w/Stainless outside rails	each	40.77
1	241-RC	O-72 WYE Regular Remote Control switch w/Tinplated outside rails	each	63.10
1	242-RC	O-72 WYE Regular Remote Control switch w/Stainless outside rails	each	65.41
1	243-RC	R.H. O-72 Regular Remote Control switch w/Tinplated rails	each	63.10
1	244-RC	L.H. O-72 Regular Remote Control switch w/Tinplated rails	each	63.10
1	245-RC	R.H. O-72 Regular Remote Control switch w/Stainless rails	each	65.41
1	246-RC	L.H. O-72 Regular Remote Control switch w/Stainless rails	each	65.41
		<b>O-Gauge 2-Rail Flexible Track with Wood Ties</b>		
50	301	2-Rail O-Gauge with Tinplated rails and Wood ties	each	7.93
50	302	2-Rail O-Gauge with Stainless rails and Wood ties	each	9.09
		<b>Track Pins &lt;&gt; Strip Connectors &lt;&gt;</b>		
	800	GarGraves Insulating Pins	pkg/12	2.50
1	801	O-Gauge mating pins Lionel tubular to GarGraves	pkg/12	5.70
1	802	O-27-Gauge mating pins Lionel tubular to GarGraves	pkg/12	5.70
1	803	GarGraves track pins (Nickel Silver)	pkg/12	1.54
1	803-3	GarGraves Track Pins (1-oz Pkg. Approximately 80 pins)	1 oz.pkg	6.93
1	910-4	Fit-Up Blades (Strip Track Connectors) Stainless Steel	pkg/25	3.85
		<b>Midwest Cork Roadbed</b>		
1	3016	O-Gauge Roadbed, 25 pieces per box, 75 feet, 3' x 5mm	box	45.01
1	3013	HO- Gauge Roadbed, 25 pieces per box, 75 feet, 3' x 5mm	box	32.67
1	3014	O & HO Sheets (box of 9) 5" x 36" x 5mm	box	31.00
1	3020	N-Gauge Sheets (box of 10) 3-1/4" x 36" x 3mm	box	19.64
		<b>Miscellaneous</b>		
1	001	Flexible track instruction	each	
1	002	Product Catalog	each	
1	LBB-GG	GarGraves Lighted Blinking Billboard	each	9.63
1	804	Ties Bundle/12 (Specify Gauge & with or without slots)	doz	0.77
1	810-8	8" Rail Load - Pkg. 12	Pkg/12	6.93
1	810-12	12" Rail Load - Pkg. 12	Pkg/12	7.70
1	805	Momentary contact push button switch	each	5.01
1	83985	GYROS 1/8" Mandrel for use with disks in Dremel Tool	each	4.43
1	93108	GYROS Reinforced Cutoff disks 2" diameter	pkg/2	5.35
1	O-BSP	O-Gauge Ballast Spreader	each	2.31
	S-BSP	S-Gauge Ballast Spreader (5)	each	2.31
1	Tie-Ext	Switch Tie Extention	each	2.27
		<b>Track Screws</b>		
1	806-25	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/25	2.31
1	806-5	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/50	2.70

1		806-1	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/100	4.00
1		806-2	Track Screws, #4 x 3/8" Phillips Pan Head Black - Approx. Qty. 920	Pound	25.37
1		807-25	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/25	2.31
1		807-5	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/50	2.70
1		807-1	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/100	4.00
1		807-2	Track Screws, #4 x 1/2" Phillips Pan Head Black - Approx. Qty. 760	Pound	21.52
1		808-25	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/25	2.31
1		808-5	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/50	2.70
1		808-1	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/100	4.00
1		808-2	Track Screws, #4 x 3/4" Phillips Pan Head Black - Approx. Qty. 550	Pound	18.44
1		809-25	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/25	2.70
1		809-5	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/50	3.35
1		809-1	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/100	4.62
1		809-2	Track Screws, #4 x 1" Phillips Pan Head Black - Approx. Qty. 400	Pound	15.36
1			<b>Wire</b>		
			<b>Pigtail connectors for power feed connections &amp; Bulk Wire</b>		
1		930B-12	8" Pigtail , 16 AWG, Black with GarGraves track pin	pkg/12	11.90
1		930B-24	8" Pigtail , 16 AWG, Black with GarGraves track pin	pkg/24	21.18
1		931B-12	8" Pigtail , 16 AWG, Black with Quick connect spade	pkg/12	11.90
1		931B-24	8" Pigtail , 16 AWG, Black with Quick connect spade	pkg/24	21.18
1		932B-12	8" Pigtail , 16 AWG, Black with Forked connector	pkg/12	11.90
1		932B-24	8" Pigtail , 16 AWG, Black with Forked connector	pkg/24	21.18
1		930W-12	8" Pigtail , 16 AWG, White with GarGraves track pin	pkg/12	11.90
1		930W-24	8" Pigtail , 16 AWG, White with GarGraves track pin	pkg/24	21.18
1		931W-12	8" Pigtail , 16 AWG, White with Quick connect spade	pkg/12	11.90
1		931W-24	8" Pigtail , 16 AWG, White with Quick connect spade	pkg/24	21.18
1		932W-12	8" Pigtail , 16 AWG, White with Forked connector	pkg/12	11.90
1		932W-24	8" Pigtail , 16 AWG, White with Forked connector	pkg/24	21.18
1		930R-12	8" Pigtail , 16 AWG, Red with GarGraves track pin	pkg/12	11.90
1		930R-24	8" Pigtail , 16 AWG, Red with GarGraves track pin	pkg/24	21.18
1		931R-12	8" Pigtail , 16 AWG, Red with GarGraves track pin	pkg/12	11.90
1		931R-24	8" Pigtail , 16 AWG, Red with GarGraves track pin	pkg/24	21.18
1		930B/W-12	8" Pigtail , 16 AWG, 6ea Black & White w/GarGraves track pin	pkg/12	11.90
1		931B/W-12	8" Pigtail , 16 AWG, 6ea Black/White w/Quick connect spade	pkg/12	11.90
1		932B/W-12	8" Pigtail , 16 AWG, 6ea Black/White w/Forked connector	pkg/12	11.90
1		1CW16-1BLK	Single Conductor, Stranded 16 Gauge Wire, BLACK, 100' Spool	each	19.21
1		1CW16-1WHT	Single Conductor, Stranded 16 Gauge Wire, WHITE, 100' Spool	each	19.21
1		1CW16-1RED	Single Conductor, Stranded 16 Gauge Wire, RED, 100' Spool	each	19.21
1		3CW22-1	3-conductor 22-gauge flat wire Ylw, Red, Grn 100' spool	each	24.45
1		2CW18-1	2-conductor 18-gauge flat wire Blk,Wht 100' spool	each	32.73
1		3CW18-1	3-conductor 18-gauge flat wire Blk,Red,Wht 100' spool	each	39.62
			<b>Stainless Steel Solderless Track Connectors</b>		
1	*	909-1	Stainless Connectors, 2 #909 & 1 #910-1	pkg/3	3.93
1	*	909	Stainless Connector for Outside Rails	pkg/3	3.93
1	*	910-1	Stainless Connector for Center Rail O-Gauge	pkg/3	3.93
1	*	910-2	Stainless Connector for Center Rail Standard Gauge	pkg/3	3.93
1	*	909-B	Stainless Connector for Outside Rails Bulk	pkg/7	88.55
1	*	910-B	Stainless Connector for Center Rail O-Gauge Bulk	pkg/7	88.55
			<b>Tinplated Steel Solderless Track Connectors</b>		
1	*	911-1	Tinplated Connectors 2 #911 & 1 #912-1	pkg/3	3.93
1	*	911-12	Tinplated Connectors 1#911 & 1 #912-2 For use with S-Gauge track	pkg/2	3.93
1	*	911	Tinplated Connector for Outside Rails	pkg/3	3.93
1	*	912-1	Tinplated Connector for Center Rail O-Gauge	pkg/3	3.93
1	*	912-2	Tinplated Connector for Center Rail Standard Gauge	pkg/3	3.93
1	*	911-B	Tinplated Connectors for Outside Rails Bulk	pkg/7	88.55
1	*	912-1B	Tinplated Connectors for Center Rail O-Gauge Bulk	pkg/7	88.55
			<b>Caboose Industries Ground Throws</b>		

1	913	Ground Throw #208S--Sprung for O-Gauge .280" Travel	each	2.70
1	914	Ground Throw #101R--Rigid for HO-Gauge .190" Travel	each	2.46
1	915	Ground Throw #202-S--Sprung for HO-Gauge .190" Travel	each	2.58
1	916	Ground Throw #105R--Rigid for N-Gauge .135" Travel	each	2.50
1	917	Ground Throw #206S--Sprung for N-Gauge .135" Travel	each	2.66
1	918	Ground Throw #107R--Rigid for O-Gauge .280" Travel	each	2.58
1	919	Ground Throw #103R--Rigid for HO-Gauge .190" Travel	each	5.51
1	920	Ground Throw #204S--Sprung for HO-Gauge .190" Travel	each	5.70
1	921	Ground Throw #109R--Rigid Stand for HO .190" Travel	each	3.35
1	922	Ground Throw #210S-- Sprung Stand for HO .190" Travel	each	3.50
<b>Acme Switch Controllers &amp; Terminal Panels for All Gauges</b>				
<b>Switch Controller With Indicator Lights</b>				
1	1894	Switch Controller with lights (flush mount)	each	14.55
1	1888	Switch Controller with lights & surface mounting frame	each	15.25
<b>Switch Control Panels for Flush Mounting w/o lights</b>				
1	1303	To operate 3 switch machines	each	6.24
1	1305	To operate 5 switch machines	each	8.93
1	1307	To operate 7 switch machines	each	11.90
<b>Switch Control Panels with Mounting Frame w/o lights</b>				
1	1403	To operate 3 switch machines	each	7.35
1	1405	To operate 5 switch machines	each	9.86
1	1407	To operate 7 switch machines	each	12.90
<b>Z-STUFF for Trains - O Gauge Accessories</b>				
1	DZ-1000	Switch machine & Controller w/2 spring links (retrofit GarGraves & Custom switches	each	25.41
1	DZ-1002	Switch Controller w/red & green LED's	each	6.35
1	DZ-1003	Throw springs for GarGraves switches	pkg/5	2.00
1	DZ-1004	Throw springs for Curtis & Ross switches	pkg/5	2.00
1	DZ-1005	Throw springs for Atlas O switches	pkg/5	2.00
1	DZ-1008A	SPDT Relay Module	each	13.84
1	DZ-1010	Crossing Gate Set with 2 Block Signal Detectors	each	126.20
1	DZ-1011	Block Signal Detectors	pkg/2	26.95
1	DZ-1012v	Block Signal	each	30.42
1	DZ-1015	Speaker, 8 Ohm with enclosure	each	11.36
1	DZ-1020	Crossing Signal Set with 2 Block Detectors	each	97.41
1	DZ-1030	WigWag Signal with (2) Block Signal Detectors	each	139.76
1	DZ-1040-LQ	Semaphore Lower Quadrant	each	68.53
1	DZ-1040-UQ	Semaphore Upper Quadrant	each	68.53
1	DZ-1050v	Three Light Signal	each	56.21
1	DZ-1060v	PRR Type Seven Light Position Signal	each	60.06
1	DZ-1065v	3 Color Target Signal	each	55.44
1	DZ-1070	Trackside Sensor with 2 Outputs	each	23.72
1	DZ-1075	Trackside Sensor w/.0.9A Dual Solid State Relays	each	32.34
1	DZ-1075M	Trackside Sensor w/Momentary 0.9A Dual Solid State Relays	each	32.34
1	DZ-1080v	Color - Position Trackside Signal	each	59.29
1	DZ-1090-40U-2	Signal Bridge w/upper semaphore - 2 tracks	each	152.46
1	DZ-1090-50-2	Signal Bridge w/3 color - 2 tracks	each	140.14
1	DZ-1090-60-2	Signal Bridge w/7-light Pennsy signal 2-tracks	each	146.30
1	DZ-1090-80-2	Signal Bridge w/Color Position Signal - 2 Tracks	each	144.76
1	DZ-1200	Passenger Station Announcement System	each	125.13
1	DZ-1205	Sensors (2) for DZ-1200	pkg/2	6.55
1	DZ-1210	Barcode Supports for DZ-1200	each	6.35
1	DZ-1215	Barcode Strips 1-set for DZ-1200 (7)	each	6.93
1	DZ-1220	Trolley Stop & Controller Announcement System	each	106.26
1	DZ-1240	Auto-Reverse w/Horn or Stop control	each	52.36
1	DZ-1260	Water Tower Animator (Sound & Control Module)	each	56.98
1	DZ-1265	Diesel Fueling Station Animator (Sound & Control Module)	each	57.75

1	DZ-2001L	Data Line Driver-TMCC	each	18.48
1	DZ-2500	Switch Machine w/DZ-2502 & GarGraves, /Ross/Curtis & Atlas springs	each	33.88
1	DZ-2502	Switch Machine Remote Controller	each	5.04
1	DZ-2503	Bag, 5 Springs #103 for Curtis & Ross switches	each	1.52
1	DZ-2504	Bag, 5 Springs #104 for Atlas Switches	each	1.52
1	DZ-2505	Bag, 5 Springs #105 for GarGraves Switches	each	1.52
		<b>Z-STUFF for Trains - S Gauge Signals</b>		
1	DZ-1040-S-LQ	S-Gauge Semaphore - Lower Quadrant	each	68.53
1	DZ-1040-S-UQ	S-Gauge Semaphore - Upper Quadrant	each	68.53
1	DZ-1050-S	S-Gauge 3 Light Signal	each	56.21
1	DZ-1060-S	S-Gauge PRR Type Seven Light Position Signal	each	60.06
1	DZ-1080-S	Color - Position Trackside Signal S-Gauge	each	59.29
		<b>Z-STUFF for Trains - G Gauge Signals</b>		
1	DZ-1060-G	7-Light Trackside signal G-Gauge	each	61.22
1	DZ-1080-G	Color - Position Trackside Signal S-Gauge	each	61.22
		<b>Circuitron Electronics</b>		
1	800-6000	Tortoise Switch machine	each	16.90
1	800-6006	Tortoise Switch machine - 6 PACK	each	97.02
1	800-6012	Tortoise Switch machine - 12 PACK	each	188.65
1	800-7212	110 VAC Wall power pack with 12 VDC output Will power up to 30 Tortoise	each	12.28
		<b>N J International Switch Machines &amp; Accessories</b>		
1	6003	Under Layout mounting kit (Pkg/2)	each	3.84
		<b>NJ International Signals &amp; Controls</b>		
1	3050	Tri-Color signal type G Hooded target O-scale	each	30.79
1	3060	Tri-Color double signal Type G Hooded target O-scale	each	46.19
1	3172	Crossing Gate Red/White Gate with Bar Type Arm	pair	38.46
		<b>"Phantom" Line Sectional Track</b>		
		<b>With Black Plastic Ties</b>		
		<b>Curved Sections W/Tinplated Outside Rails</b>		
		<b>32" thru 72" 8 sections per circle</b>		
8	32-101S	32" "Phantom" w/Tinplated Outside Rails	each	7.85
8	32-102S	32" "Phantom" ww/Stainless Outside Rails	each	8.43
8	42-101S	42" "Phantom" w/Tinplated Outside Rails	each	8.66
8	42-102S	42" "Phantom" w/Stainless Outside Rails	each	9.24
8	54-101S	54" "Phantom" w/Tinplated Outside Rails	each	9.51
8	54-102S	54" "Phantom" w/Stainless Outside Rails	each	10.09
8	63-101S	63" "Phantom" w/Tinplated Outside Rails	each	10.55
8	63-102S	63" "Phantom" w/Stainless Outside Rails	each	11.13
8	72-101S	72" "Phantom" w/Tinplated Outside Rails	each	11.13
8	72-102S	72" "Phantom"w/Stainless Outside Rails	each	11.78
		<b>80" &amp; over 12 sections per circle</b>		
12	80-101S	80" "Phantom" w/Tinplated Outside Rails	each	9.51
12	80-102S	80" "Phantom" w/Stainless Outside Rails	each	10.09
12	89-101S	89" "Phantom" w/Tinplated Outside Rails	each	10.24
12	89-102S	89" "Phantom" w/Stainless Outside Rails	each	10.82
12	96-101S	96" "Phantom" w/Tinplated Outside Rails	each	10.55
12	96-102S	96" "Phantom" w/Stainless Outside Rails	each	11.13
12	106-101S	106" "Phantom" w/Tinplated Outside Rails	each	10.74
12	106-102S	106" "Phantom" w/Stainless Outside Rails	each	11.32
12	113-101S	113" "Phantom" w/Tinplated Outside Rails	each	11.24
12	113-102S	113" "Phantom" w/Stainless Outside Rails	each	11.90
12	120-101S	120" "Phantom" w/Tinplated Outside Rails	each	11.51
12	120-102S	120" "Phantom" w/Stainless Outside Rails	each	12.20
		<b>Over 120" 16 sections per circle</b>		
16	128-101S	128" "Phantom" w/Tinplated Outside Rails	each	10.55
16	128-102S	128" "Phantom" w/Stainless Outside Rails	each	11.13
16	138-101S	138" "Phantom" w/Tinplated Outside Rails	each	10.74



16	138-102S	138" "Phantom" w/Tinplated Outside Rails	each	11.40
		<b>Straight Sections Rigid</b>		
12	101S-37	37" "Phantom" w/Tinplated Outside Rails	each	10.55
12	102S-37	37" "Phantom" w/Stainless Outside Rails	each	11.13
12	101S-24	24.8" "Phantom" w/Tinplated Outside Rails	each	7.93
12	102S-24	24.8" "Phantom" w/Stainless Outside Rails	each	8.39
12	101S-12	12.4" "Phantom" w/Tinplated Outside Rails	each	5.74
12	102S-12	12.4" "Phantom" w/Stainless Outside Rails	each	6.04
12	101S-6	6.2" "Phantom" w/Tinplated Outside Rails	each	4.54
12	102S-6	6.2" "Phantom" w-Stainless Outside Rails	each	4.77
		<b>Straight Sections Flexible - Black Plastic Ties</b>		
12	101F	37" "Phantom" w/Tinplated Outside Rails	each	9.86
12	102F	37" "Phantom" w/Stainless Outside Rails	each	11.20
Straight 37" sections also packed in cartons of 24 & 50 sections				
		<b>O-Gauge Regular Line Sectional Track</b>		
		<b>Curved Sections with Black Plastic Ties</b>		
		<b>32" thru 72" 8 sections per circle</b>		
8	32-201S	32" Regular w/Three Tinplated Rails	each	7.85
8	32-202S	32" Regular w/Three Stainless Rails	each	8.43
8	42-201S	42" Regular w/Three Tinplated Rails	each	8.66
8	42-202S	42" Regular w/Three Stainless Rails	each	9.24
8	54-201S	54" Regular w/Three Tinplated Rails	each	9.51
8	54-202S	54" Regular w/Three Stainless Rails	each	10.09
8	63-201S	63" Regular w/Three Tinplated Rails	each	10.55
8	63-202S	63" Regular w/Three Stainless Rails	each	11.13
8	72-201S	72" Regular w/Three Tinplated Rails	each	11.13
8	72-202S	72" Regular w/Three Stainless Rails	each	11.78
		<b>80 &amp; over 12 sections per circle</b>		
12	80-201S	80" Regular w/Three Tinplated Rails	each	9.51
12	80-202S	80" Regular w/Three Stainless Rails	each	10.09
12	89-201S	89" Regular w/Three Tinplated Rails	each	10.24
12	89-202S	89" Regular w/Three Stainless Rails	each	10.82
12	96-201S	96" Regular w/Three Tinplated Rails	each	10.55
12	96-202S	96" Regular w/Three Stainless Rails	each	11.13
12	106-201S	106" Regular w/Three Tinplated Rails	each	10.74
12	106-202S	106" Regular w/Three Stainless Rails	each	11.32
12	113-201S	113" Regular w/Three Tinplated Rails	each	11.24
12	113-202S	113" Regular w/Three Stainless Rails	each	11.90
12	120-201S	120" Regular w/Three Tinplated Rails	each	11.51
12	120-202S	120" Regular w/Three Stainless Rails	each	12.20
		<b>Over 120" 16 sections per circle</b>		
16	128-201S	128" Regular w/Three Tinplated Rails	each	10.55
16	128-202S	128" Regular w/Three Stainless Rails	each	11.13
16	138-201S	138" Regular w/Three Tinplated Rails	each	10.74
16	138-202S	138" Regular w/Three Stainless Rails	each	11.40
		<b>Straight Sections Rigid</b>		
12	201S	37" Regular Straight w/Three Tinplated Rails	each	10.55
12	202S	37" Regular Straight w/Three Stainless Rails	each	11.13
12	201S-24	24.8" Regular Straight w/Three Tinplated Rails	each	7.93
12	202S-24	24.8" Regular Straight w/Three Stainless Rails	each	8.39
12	201S-12	12.4" Regular Straight w/Three Tinplated Rails	each	5.74
12	202S-12	12.4" Regular Straight w/Three Stainless Rails	each	6.04
12	201S-6	6.2" Regular Straight w/Three Tinplated Rails	each	4.54
12	202S-6	6.2" Regular Straight w/Three Stainless Rails	each	4.77
		<b>Straight Sections Flexible - Black Plastic Ties</b>		
12	201F	37" Regular w/Three Tinplated Rails	each	9.86
12	202F	37" Regular w/Three Stainless Rails	each	10.43

Straight 37" sections also packed in cartons of 24 & 50 sections					
			<b>Switch Transition Offset Sections for Parallel Tracks</b>		
			<b>Specify desired center to center distance for 100" radius Switch</b>		
			<b>Made With PLASTIC Ties Only</b>		
1	TR-101	"Phantom" w/tinplated outside rails 3.5, 4.21 or 5"		each	9.47
1	TR-102	"Phantom" w/stainless outside rails 3.5, 4.21 or 5"		each	10.05
1	TR-201	Regular w/tinplated rails 3.5, 4.21 or 5"		each	9.47
1	TR-202	Regular w/stainless rails 3.5, 4.21 or 5"		each	10.05
			<b>O-42 Switch transition section 4.21" Centers</b>		
1	TR-113/4	"Phantom" w/tinplated outside rails		each	6.43
1	TR-115/6	"Phantom" w/stainless outside rails		each	7.20
1	TR-213/4	Regular w/tinplated rails		each	6.43
1	TR-215/6	Regular w/stainless rails		each	7.20
			<b>O-54 Switch transition section 5.45" Centers</b>		
1	TR-133/4	"Phantom" w/tinplated outside rails		each	7.66
1	TR-135/6	"Phantom" w/stainless outside rails		each	8.32
1	TR-233/4	Regular w/tinplated rails		each	7.66
1	TR-235/6	Regular w/stainless rails		each	8.32
			<b>O-72 Switch transition section 4.57" Centers</b>		
1	TR-143/4	"Phantom" w/tinplated outside rails		each	7.66
1	TR-145/6	"Phantom" w/stainless outside rails		each	8.32
1	TR-243/4	Regular w/tinplated rails		each	7.66
1	TR-245/6	Regular w/stainless rails		each	8.32
			<b>O-72 WYE Switch transition section 6.89" Centers</b>		
1	TR-141	72 WYE "Phantom" w/tinplated outside rails		each	7.66
1	TR-142	72 WYE "Phantom" w/stainless outside rails		each	8.32
1	TR-241	72 WYE Regular w/tinplated rails		each	7.66
1	TR-242	72 WYE Regular w/stainless rails		each	8.32
			<b>S-42 Switch transition section - 4.21" Centers - Wood Ties Only</b>		
1	TR-403/4	S-Gauge Regular with Tinplated Rails		each	5.78
1	TR-405/6	S-Gauge Regular with Stainless Rails		each	6.16
			<b>O-54 Switch Makeup Curves</b>		
1	MU-101-54	O-54 Makeup curve "Phantom" Tinplate		each	7.51
1	MU-102 54	O-54 Makeup curve "Phantom" Stainless		each	8.09
			<b>O-72 Switch Makeup Curves for Plastic Tie Track</b>		
1	MU-101-72	Makeup curve "Phantom" Tinplate		each	7.97
1	MU-102-72	Makeup curve "Phantom" Stainless		each	8.55
1	MU-201-72	Makeup curve Regular Tinplate		each	7.97
1	MU-202-72	Makeup curve Regular Stainless		each	8.55
			<b>O-72 Switch Makeup Curves for Wood Tie Track</b>		
1	WT-MU-101-72	Makeup curve "Phantom" Tinplate		each	7.51
1	WT-MU-102-72	Makeup curve "Phantom" Stainless		each	8.09
1	WT-MU-201-72	Makeup curve Regular Tinplate		each	7.51
1	WT-MU-202-72	Makeup curve Regular Stainless		each	8.09